

No.	Dimension	Tolerance	1	2	3	4	5	6	7	8	9	10
1	1.62	±0.030										
2	125	N/A										
3	0.69	±0.030										
5	13.68	±0.030										
7	5.63	±0.030										
8	13.245	±0.010										
9	4.84	±0.030										
10	2.52	±0.030										
12	0.266	±0.010										
13	125	N/A										
19	0.27	±0.010										
20	125	N/A										
21	9	±0.030										
22	11.85	±0.030										
24	10-24 unc 2b	N/A										
25	0.5	±0.030										
27	16.329	±0.010										
29	1.356	±0.010										
30	1.2	±0.030										
31	6	±0.010										
34	0.823	±0.010										
35	3.62	±0.030										
37	0.38	±0.030										
38	0.15	±0.030										
40	0.54	±0.030										
41	125	N/A										
42	11.304	±0.010										
44	22.96	±0.030										

No.	Dimension	Tolerance	1	2	3	4	5	6	7	8	9	10
45	0.5	±0.030										
47	0.5	±0.030										
48	10.828	±0.010										
50	6.211	±0.010										
51	7.584	±0.010										
52	0.02	N/A										
54	1.75	±0.030										
56	32.5	1										
57	2	±0.030										
58	0.25	±0.030										
60	2.25	±0.030										
61	0.25	±0.030										
64	16.464	±0.010										
67	0.37	* +0.03										
		* -0.00										
68	2.55	±0.030										
69	1.64	±0.030										
72	3,22	±1										
73	0.02	N/A										
75	125	N/A										
79	0.25	±0.030										
80	0.688	±0.010										
85	0.25	±0.030										
88	1.47	±0.010										
89	15	±1										
90	0.51	±0.030										
91	0.18	±0.030										
96	2	±0.030										

No.	Dimension	Tolerance	1	2	3	4	5	6	7	8	9	10
97	1	±0.010										
98	0.83	±0.030										
102	0.16	±0.010										
103	0.02	N/A										
104	1	±0.010										
106	0.5	±0.030										
107	1	±0.030										
111	4	±0.010										
112	0.41	±0.010										
118	0.25	±0.030										
119	0.62	* +0.06										
		* -0.00										
120	1.52	±0.010										
122	0.25	±0.030										
124	6	±1										
125	1.34	0.03										
127	2.07	±0.030										
133	0.188	±0.010										
135	0.25	±0.030										
140	6.065	±0.010										